


50 SERIES

CONDUCTIVE FABRIC



Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort


MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
50-DF	Conductive Fabric	19"-27"	18"W x 17"D	15"W x 12"H	18"	Black Nylon	Yes	1
52-DF	Conductive Fabric	17"-22"	18"W x 17"D	15"W x 12"H	No	Black Nylon	Yes	1

Conductive Seating Features:
Industrial Seating™ conductive seating insures a safe, static-clear work area. All IS™ conductive seating models are equipped with conductive seat cushions, back cushions, as well as all metal parts and the IS™ dual resistance system.



COLOR OPTIONS

IsStat Group IV Fabrics ESD

- Material 98% Polyolefin, 2% Carbon Infused Nylon • Surface Resistance: 10¹⁰ ohms per Square
- Flamability: Pass California tech. Bulletin 117






MECHANISM OPTIONS





Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 20S, 45, 50 and 60)
FR05	Knobless Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 10, 20M and 20W)
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)

FOOTRING OPTIONS



Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring.
FR05	Knob less Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Footring.
FR06	Nylon Center with Steel Ring, Footring 18"

ARM REST OPTIONS



Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads

CASTER OPTIONS



Caster	Description
1B	Braking Caster, Recommended where Chairs may roll to easily when is Not Occupied
1U	Soft Urethane Caster, Recommended on Tile, Cement and other Hard Surfaces
1UB	Soft Urethane Braking Caster, Recommended for reduce Mobility when is Not Occupied
2	Nylon Glide, Recommended for use in areas where requiring limited mobility